

U-POL

PRODUCTS

Ready to Use

CLEAR #1

UV RESISTANT CLEAR COAT

Description

CLEAR #1 is a 1K, ready to use clear coat in an aerosol. It is used for finishing coated surfaces in order to achieve a high gloss, UV resistant, durable finish.

A new high performance clear coat that gives 2K performance with the convenience of an aerosol. Clear #1 is the ultimate SMART repair tool it is crystal clear, has excellent build and is compatible with water-based base coats

The cured Clear #1 has excellent gloss and image depth it is ideal for spot repairs and gives a durable, UV resistant finish.

CLEAR #1 is isocyanate free.

Surface preparation and instructions for use

CLEAR #1 can be applied using the preparation procedure shown below: -

Thoroughly clean and degrease surfaces with a suitable spirit wipe or thinner such as U-POL System 20 Degreaser. Abrade solid coloured coatings wet or dry with 800-1000 abrasive, re-clean, dry and degrease. If coating solvent-based basecoats apply **CLEAR #1** within a period 20 minutes after application of the base coat.

Application

Shake can thoroughly before use for a minimum of 2 minutes.

Apply 1-2 light even coats.

Allow 5-10 minutes flash off time between coats.

Drying time

Allow 30 minutes before handling.

Drying time is dependent upon film thickness, humidity and temperature.

Product code

CLEAR/AL - 450ml aerosol